


## 7.3 Trigonometric Substitution

In each of the following trigonometric substitution problems, draw a triangle and label an angle and all three sides corresponding to the trigonometric substitution you select.

**Summary of Trigonometric Substitution** (understand how to make the triangles).




Keep in mind the identities  $\sin^2 \theta + \cos^2 \theta = 1$  and  $1 + \tan^2 \theta = \sec^2 \theta$ .

**Example:** Evaluate  $\int \frac{dx}{\sqrt{9 - x^2}}$ .

*Thinking about the problem:*

Since the integrand involves  $\sqrt{9 - x^2}$  and there is not an extra factor of  $x$  in the numerator (if there were it might be possible to do a  $u$ -substitution with  $u = 9 - x^2$ ), we will try a trigonometric substitution corresponding to a right triangle with a leg of length  $\sqrt{9 - x^2}$ , hypotenuse 3, and the other leg has length  $x$ .



*Doing the problem:*

Using the triangle diagram above,  $\sin \theta = x/3$ , so  $x = 3 \sin \theta$ . Then  $dx = 3 \cos \theta d\theta$ . Also from the triangle  $\cos \theta = \sqrt{9 - x^2}/3$ , so  $\sqrt{9 - x^2} = 3 \cos \theta$ . The integral becomes

$$\begin{aligned}\int \frac{dx}{\sqrt{9 - x^2}} &= \int \frac{3 \cos \theta d\theta}{3 \cos \theta} \\ &= \int d\theta \\ &= \theta + C.\end{aligned}$$


Since the substitution we used was  $x = 3 \sin \theta$ ,  $\theta = \arcsin \left( \frac{x}{3} \right)$ . So

$$\int \frac{dx}{\sqrt{9 - x^2}} = \arcsin \left( \frac{x}{3} \right) + C.$$

Solutions should show all of your work, not just a single final answer.

1. Evaluate  $\int \frac{dx}{(9+x^2)^{3/2}}$ .


(a) Fill in the sides of the right triangle below where  $\sqrt{9+x^2}$  is one of the sides.



(b) Using the sides of the triangle in (a), compute the indefinite integral. Write the final answer in terms of  $x$ .

2. Evaluate  $\int \frac{\sqrt{x^2 - 9}}{x^3} dx$ .

(a) Fill in the sides of the right triangle below where  $\sqrt{x^2 - 9}$  is one of the sides.



(b) Using the sides of the triangle in (a), compute the indefinite integral. Write the final answer in terms of  $x$ .

3. Evaluate the definite integral  $\int_0^3 \frac{x^2}{\sqrt{9-x^2}} dx$ . (*Hint:* When you make a trigonometric substitution, change the bounds of integration as part of the substitution.)

4. T/F (with justification): To evaluate  $\int \frac{dx}{x^2\sqrt{x^2+2}}$  by trigonometric substitution, use  $x = 2 \tan \theta$ .