MATH 3631 Actuarial Mathematics II Final Examination Monday, 1 May 2017 Time Allowed: 2 hours (6:00 - 8:00 pm) Room: AUST 110 Total Marks: 120 points

Please write your name and student number at the spaces provided:

Name:

Student ID:

- There are twelve (12) written-answer questions here and you are to answer all questions. Each question is worth 10 points. Your final mark will be divided by 120 to convert to a unit of 100%.
- Please provide details of your workings in the appropriate spaces provided; partial points will be granted.
- Please write legibly.
- Anyone caught writing after time has expired will be given a mark of zero.
- Good luck to everyone. Congratulations, and all the best, to those graduating.
- Have a safe and enjoyable summer!

Question	Worth	Score
1	10	
2	10	
3	10	
4	10	
5	10	
6	10	
7	10	
8	10	
9	10	
10	10	
11	10	
12	10	
Total	120	
%	÷ 120	

Question No. 1:

An insurer sells a portfolio of fully discrete whole life insurance, with death benefit of 2, each to the same age 40. You are given:

- All policies have independent future lifetimes.
- The annual contract premium is 125% of the annual net premium calculated based on the equivalence principle.
- Mortality follows the Illustrative Life Table.
- *i* = 0.06
- The 95th percentile of a standard normal distribution is 1.645.

Using the normal approximation, calculate the smallest number of policies to sell so that this insurer has at least 95% probability of a gain from this portfolio of policies.

Question No. 2:

For a fully discrete whole life insurance of 25,000 issued to (50), you are given:

• The following expenses are payable at the beginning of the year:

	% of premium	Per policy
First year	25%	15
Renewal years	10%	5

- Gross annual premium is determined according to the actuarial equivalence principle.
- i = 3%
- $A_{50} = 0.479$
- The tenth-year gross premium reserve is ${}_{10}V^g = 5810$.

Calculate A_{60} .

Question No. 3:

For a fully discrete whole life insurance policy of 100 on (40), you are given:

- (i) The gross annual premium is 3.2.
- (ii) For calculating gross premium reserves in year 10, the following assumptions are made:
 - The 9th-year gross premium reserve is ${}_{9}V^{g} = 8.5$.
 - $q_{49} = 0.001$
 - Annual expenses of 2, payable at the beginning of the year
 - *i* = 0.05
- (iii) Actual experience during year 10 for this policy is:
 - The policy is still inforce and active at the end of year 10.
 - The annual expenses are 3, paid at the beginning of the year.
 - The actual interest earned is 4.5%.
- (iv) Gain (or loss) for this single policy is calculated in the following order: mortality, then expenses, then interest.

Calculate the gain (or loss) from each source (mortality, expense, interest) for this policy in year 10.

Question No. 4:

Hospital patients are classified as Sick (S), Critical (C), or Discharged (D). Transitions, in days, occur according to the following time-homogeneous probability matrix:

$$\begin{array}{cccc} S & C & D \\ S & \left(\begin{array}{ccc} 0.60 & 0.20 & 0.20 \\ 0.20 & 0.50 & 0.30 \\ 0.00 & 0.00 & 1.00 \end{array}\right)\end{array}$$

It costs 2,000 for each day a 'Sick' patient is in the hospital. It costs 10,000 for each day a 'Critical' patient is in the hospital. It costs nothing to be in 'Discharged' state. Assume payment for each stay in the hospital is made at the end of each day.

You are given: i = 0.0

For a 'Sick' patient admitted to the hospital today, calculate the actuarial present value of the cost of being in the hospital for the next 3 days.

Question No. 5:

A disease progresses according to the following Markov model:



All forces of transitions are constant and independent of age:

 $\mu^{01} = 0.001, \quad \mu^{12} = 0.100, \quad \mu^{03} = 0.002, \quad \mu^{13} = 0.050, \text{ and } \mu^{23} = 0.400$

Calculate the probability that a person 'Uninfected' today will be in 'Stage Two' at the end of 10 years.

Question No. 6:

An employee, now age 50, receives the following one-year term benefits, payable at the end of the year of decrement:

- 100 if decrement results from cause 1;
- 200 if decrement results from cause 2; and
- 500 if decrement results from cause 3.

Only three possible decrements exist. In their associated single-decrement tables, all three decrements follow de Moivre's Law with $\omega = 100$. In addition, assume UDD in each single decrement table. You are given i = 0.05.

Find the actuarial present value at age 50 of the benefits.

Question No. 7:

You are given the following extract from a triple decrement model:

x	$\ell_x^{(au)} = q_x^{(au)}$		$q_x^{(2)}$	$q_x^{(3)}$
55	-	0.02	0.04	0.06
56	8800	0.05	0.10	0.15

Suppose that after preparing this table, you corrected that $q_{55}^{(2)}$ should have been 0.05 while all other probability values in the table above remain the same.

Calculate the correct value of $d_{56}^{(3)}$.

Question No. 8:

			annual	annual	
	annual	percent of	fixed	cost of	
policy	premium	premium	expense	insurance	interest
year	deposit	charge	charge	rate per $1,000$	credited
1	3,500	5%	50	2.0	10%
2	$5,\!000$	5%	50	3.0	10%

For a Type A Universal Life policy with a total death benefit of 200,000, you are given:

If you surrender your policy, there is a penalty of 5% of the account value.

Calculate the surrender value for this policy at the end of the second year.

Question No. 9:

Suppose you are now age 59 and you buy a Type B universal life policy with an additional death benefit of 10,000. You pay an annual premium of 4,000. You are given:

	percent		annual	annual	annual
	of	annual	COI rate	discount	credited
policy	premium	expense	per 1 of	rate for	interest
year	charge	charge	insurance	COI	rate
1	10%	5	0.030	4.0%	6.0%

At the end of the first year, you decided to surrender your policy (zero surrender charge) and to use your account value to pay for a special life annuity due with a net single premium that provides the following benefit payments at the beginning of each year:

- For the first 10 years, a payment of k.
- After the first 10 years, a payment of 2k.

In calculating this net single premium for this special annuity, the following assumptions are made:

- Mortality follows the Illustrative Life Table.
- *i* = 0.06

Calculate the value of k.

Question No. 10:

You are given:

- Male mortality is based on a constant force of mortality with $\mu = 0.05$.
- Female mortality follows deMoivre's law with $\omega = 120$.
- Assume for any pairs of male and female, their future lifetimes are independent.

Calculate the probability that a male age 65 dies after a female age 65.

Question No. 11:

Kanye and Kim are both age 50 and both have independent future lifetimes. They purchase a special 15-year deferred joint and last survivor annuity policy. This policy has the following features:

- An annuity of 50,000 is payable at the beginning of each year starting at age 65 if both Kanye and Kim are alive, increasing to 75,000 per year after the first death continuing to this amount until the last death.
- The annual premium of π is payable at the beginning of each year that both Kanye and Kim are alive during the deferred period (i.e. the first 15 years).
- Mortality follows the Illustrative Life Table.
- i = 0.06

Calculate π .

Question No. 12:

For a life insurance policy issued to (40) and (50), you are given:

- Both lives have independent future lifetimes.
- Death benefit of 10,000 is payable at the end of the year of the first death.
- Death benefit of 25,000 is payable at the end of the year of the second death.
- Mortality follows the Illustrative Life Table.
- *i* = 0.06

Calculate the actuarial present value of this insurance.

EXTRA PAGE FOR ADDITIONAL OR SCRATCH WORK